

REMARKS

Claims 1-15 are pending.

Claims 2-15 are amended to remove multiple dependency and to comply with proper form. No new matter is believed to be introduced by the amendment to the claims.

Applicants submit that this application is now in condition for examination on the

- merits. Early notice to this effect is earnestly solicited.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,  
MAIER & NEUSTADT, P.C.



Norman F. Oblon  
Attorney of Record  
Registration No. 24,618

James Kelly, Ph.D.  
Registration No. 41,504



**22850**

(703) 413-3000

Fax #: (703)413-2220

NFO/JK/TWB:kst:saf

I:\atty\Twb\218932.PR.AM.wpd

Docket No.: 218932US0  
 Serial No.: 10/058,423  
 Filed: HEREWITH



**MARKED-UP COPY**

**IN THE CLAIMS**


Please amend the claims as follows:

--2. (Amended) The polymer composition according to [claim] Claim 1, [which] further [contain] comprising (B) at least one component selected from the group consisting of an organosilane represented by the following general formula (1), a hydrolyzate of the organosilane and a condensate of the organosilane:



wherein,  $R^1$ , which maybe the same or different when two or more  $R^1$  groups are present, represents a monovalent organic group having 1 to 8 carbon atoms; X represents a halogen atom or an alkoxyl or acetoxyl group having 1 to 8 carbon atoms; and n is an integer of 0 to 2.

3. (Amended) The polymer composition according to [claim] Claim 1 [or 2], [which] further [contain] comprising a compound having a recurring unit represented by the following general formula (2):



wherein m is from 5 to 250, and n' is from 4 to 40.

4. (Amended) The polymer composition according to [any one of claims] Claim 1 [to 3], wherein the polystyrene-converted weight-average molecular weight of component (A) is from 1,000 to 100,000.

5. (Amended) The polymer composition according to [any one of claims] Claim 1 [to 4], [which] further [contains] comprising (C) a photoacid generating agent.

6. (Amended) The polymer composition according to [any one of claims] Claim 1 [to 5], [which] further comprising [contains] (D) a dehydrating agent.

7. (Amended) A cured product obtained by coating a substrate with the polymer composition according to [any one of claims] Claim 1 [to 6], and subjecting the composition to heat curing and/or photo-curing.

8. (Amended) The cured product according to [claim] Claim 7, wherein a surface of the substrate has an arithmetical mean roughness of 0.5  $\mu\text{m}$  or less and/or a maximum height of projections thereon of 2  $\mu\text{m}$  or less.

9. (Amended) The cured product according to [claim] Claim 7, wherein the substrate is a film whose surface has an arithmetical mean roughness of 0.5  $\mu\text{m}$  or less and/or a maximum height of projections thereon of 2  $\mu\text{m}$  or less.

10. (Amended) The cured product according to [claim] Claim 7 [or 8], wherein a surface of the cured product has an arithmetical mean roughness of 0.2  $\mu\text{m}$  or less and/or a maximum height of projections thereon of 2  $\mu\text{m}$  or less.

11. (Amended) The cured product according to [any one of claims] Claim 7 [to 10], wherein the surface of the cured product has a hydroxyl group concentration of 10% or less.

12. (Amended) The cured product according to [any one of claims] Claim 7 [to 11], wherein the surface of the cured product has a coefficient of dynamic friction of 0.5 or less.

13. (Amended) The cured product according to [any one of claims] Claim 7 [to 12], which has a release, non-adhesive function.

14. (Amended) A laminate having the cured product composed of the polymer composition according to [any one of claims] Claim 1 [to 6] on a substrate film, in which a surface of the substrate has an arithmetical mean roughness of 0.5  $\mu\text{m}$  or less and/or a maximum height of projections thereon of 2  $\mu\text{m}$  or less and 1,000 projections/ $\text{m}^2$  or less of projections having a height of 0.2  $\mu\text{m}$  to 2  $\mu\text{m}$ , and a surface of the cured product has an arithmetical mean roughness of 0.2  $\mu\text{m}$  or less and/or a maximum height of projections thereon of 2  $\mu\text{m}$  or less and 500 projections/ $\text{m}^2$  or less of projections having a height of 0.2  $\mu\text{m}$  to 2  $\mu\text{m}$ .

15. (Amended) A method for producing a cured product, which comprises coating a substrate with the polymer composition according to [any one of claims] Claim 1 [to 6], and subjecting the composition to heat curing and/or photo-curing.--